



Equestrian Australia Equipment Annex

In conjunction with Section 5 of the Equestrian Australia Dressage Rules updated in January 2019 (found here), the Australian Dressage Committee seeks to provide the following information for clarification of permitted equipment for official competition. This document is not intended to imply approval if the target item of equipment is not listed. The Dressage Rules provide clear guidelines as to the equipment permitted. Wherever possible, the EADC is guided by rulings from the EADC and FEI Equipment Committees.

For additional equipment queries, please do not hesitate to fill in the query application form (found here) or for information please do not hesitate to contact the Equestrian Australia National office. This document will be updated twice a year.

Version 18 - Updated: 31st March 2019

Index

Section 1. Bit Rings/Cheeks

Section 2. Bits/Mouthpieces

Section 3. Bridles & Nosebands

Section 4. Competition Wear

Section 5. Saddles and Stirrups

Section 6. Additional Equipment & Accessories

Section 7. Horse Boots

Section 8. Spurs





Section 1	BIT RINGS/CHEEKS	STATUS
Hanging Cheek/Baucher	5	1
Eggbutt	00	1
Loose ring		1
Sleeved cheeks	00	1
Shaped sleeved Cheeks		Elimination
Full cheek / Fulmer	01-00	1
D-ring	GD	1
Various gag cheeks	8848	Elimination
Mylor (or similar) Cheeks for use With hooks		Elimination
Bevel Bit/Cheeks		Elimination





Section 2	BITS /MOUTHPIECES	STATUS
Ported Unjointed bit		1
Mullen Mouth	GO	1
Flexible Mullen Mouth	0-00	1
Double Jointed Snaffle		1
Single jointed Snaffle (including lock up)		1
Loose ring Dressage Plate		1
Cable double Jointed		1
Cable Single Jointed	() () () () () () () () () ()	1
Ported barrel		1





B-ring snaffle	a b	Elimination
Dr Bristol		Elimination
Mouthpiece with rotating middle piece		
Loose Ring Tube		Elimination
Turtle Top Snaffle	1 0	
Myler permitted Snaffles		
Double jointed plastic bit		
Pinchless Snaffle		✓





Happy Mouth Straight bar		Elimination
Beris Mullen Straight bar		Elimination
Flexible Mullen Straight bar with lip guards		Elimination
Plastic covered Weymouth		
Neue Schule Turtle Tilt		
Weymouth (largest) and smallest ports illustrated)		
Weymouth with sliding mouthpiece, rotating arms or tilted mouthpiece	J J J	





Various mouthpieces		Elimination
Bits with interference on the rings		Elimination
Coloured Bits		Two mark deduction
Bit guards		Elimination
Bit clips on ergonomic bridles		Elimination
Measuring Bits	Ring Size (mm) Mouthpiece (inches or cm) Thickness (mm)	N/A





Section 3 BRIDLES & NOSEBANDS

STATUS

ALL BRIDLES MUST HAVE A THROAT LASH

Equestrian Australian Dressage Committee Statement

The Equestrian Australian Dressage Committee (EADC) wishes to reiterate that **welfare of the horse is paramount** in all that it does, whether developing rules for the sport or in training of its dressage stewards and judges – an active on-going program.

Nosebands that are too tightly fitted regardless of type are never acceptable. Nosebands must never be used in such a way that they interfere with a horse's breathing. Riders failing to loosen a noseband on request from a steward or judge will be **eliminated**.

- Noseband checking is done by a steward. It must be possible to place at least **one** finger between the horse's cheek and the noseband. See *illustration below*.
- Nosebands can be checked prior to or after the completion of a test
- Not all nosebands are required to be checked, if a visual assessment confirms that the noseband is not too tight.
- During a test if the Judge believes a noseband is too tight, they must at the end of the test instruct the
 rider to return to the gear check. The Steward must report back to the judge after checking the
 noseband.
- When checking bridle/noseband the steward must wear two clean disposable gloves
- The checking of the bridle/noseband must be done with the greatest caution, as some horses are very touchy and sensitive. Stewards must keep in mind that the safety and welfare of the horse and the Athlete are our highest priority and concern!
- The execution of adjustment of equipment must be done by the rider or the groom and **not** the steward.



Measuring a cavason noseband



Measuring a flash or drop noseband 1





Bridles with anatomical/padded headpiece		
PS of Sweden noseband (with throat lash)		
PS of Sweden Nirak (with Throat lash)		
PS Of Sweden Noseband, (with Throat Lash)	PS of Sweden Noseband, only used WITH throat latch	
PS of Sweden High Jump Bridle	High Jump bridle with throat latch. Without elastic connections to the bit	





PS of Sweden Jump Off Bridle	Jump Off bridle with throat latch. Without elastic connections to the bit	
PS of Sweden (Elastic Concept)	Elastic Concept for rein and cheek piece by PS of Sweden Here we have attached a durable and strong elastic band that is attached to the leather. The elastic touches NEVER the bit. The elastic helps the bit to be a little bit flexible and more dynamic in the mouth. Elastic is placed up here on the cheek piece an is hidden under the keeper. Leather The bit will only and always be in contact with leather, never anything else. Leather PS of Sweden, 7th of March 2017	
Bridles with D Rings at the Poll		
Tota Comfort system noseband		
Stubben Snaffle Bridle 2500 Freedom		





Passier Fortuna Double Bridle (Elastic Insert in Neckband, under Browband)		
Osiris Bridle by VT-Horses	Picture from Patent number FR0001838 Oalris Bridle and double Bridle by vt-horses	
Micklem Bridle		
St Zaum Bridle May be used with a double bridle if the lower strap of the nose band is removed.		





Dyon X-Fit Anatomic	
Dyon Double	Elimination
Added Padding on Bridle	Elimination
Blinkers of any type, including wool padding on cheek piece	Elimination
Double Cavesson Noseband	Elimination





Cornell Collar	Figure 1 Cover price	A A
Comon Condi	Figure 2	Elimination
Three way noseband		Elimination
Elastic Reins		Elimination
Section 4	COMPETITION WEAD	0=4=110
Section 4	COMPETITION WEAR	STATUS
Bright coloured jackets are not permitted. Jackets must be of a dark colour with a brightness value of less than 32% on the international HSV	COMPETITION WEAR	Two mark deduction
Bright coloured jackets are not permitted. Jackets must be of a dark colour with a brightness value of less than 32% on the	COMPETITION WEAR	Two mark





Sleevless Riding Jackets	
Coloured riding boots	Two mark deduction
Full length laced boots	Two mark deduction
Full Length Zipped Boots with Coloured Piping	Two mark deduction
Embossing /decoration at the top of the Top Boot only is permitted but must be in the same colour scheme as the boot. The same applies to the cantle of the saddle.	





A neat and discrete zip on the outside area of the boot/chap is permitted.		
Coloured piping is permitted if it matches the piping on the Riding Jacket & or saddle		
Section 5	SADDLES AND STIRRUPS	STATUS
Stock Saddles Western Saddles Jumping Saddles		Elimination
Stirrups & leathers must be fitted to the outside saddle flap		
Magnetic Stirrups		Elimination





Coloured & rainbow Stirrups		Two mark deduction
Velcro straps to Stirrups		Elimination
Step-up Stirrups	annach wesur	Elimination
Section 6	ADDITIONAL EQUIPMENT & ACCESSORIES	
Ear bonnet/hoods (no additional insulation & no ear plugs allowed)		
(no additional insulation & no		Elimination





Arabian Martingale (not allowed on grounds)		Elimination
Section 7	HORSE BOOTS	STATUS
Boots or Bandages that cover the hoof		Elimination
Glu on Shu's		Elimination
Hoof boots		Warm-up only
Nailed or Glued shoes (must not cover more of the hoof wall than that of a nailed shoe. Bulbs of the heel & full circumference of coronary band must be visible)		
Section 8	SPURS	STATUS
Spurs with a Rowel in the Vertical Plane (must be blunt)		1
Small Sharp Segmented Rowel Spurs		Elimination





Spurs with rowels in the horizontal		Elimination
Swan Neck Spurs (Fitted as illustrated)		1
Smart Clix Spurs	10 Co color NO more	
Soft Touch Spurs		1
Coloured Spurs		Two mark deduction
Hard plastic Spurs	3	
Spurs without a shank		1
Spurs with side rowels		Elimination
Bent Shank on Spurs		Elimination





Spursuader Spurs	Elimination
	Liiiiiiiatioii